

The Refurbishment of the Orchestra Rehearsal Room of the Great Theater of Liceu.

- **Source:** Building Acoustics . Mar2012, Vol. 19 Issue 1, p45-56. 12p.
- **Author(s):** Arau-Puchades, Higiní
- **Subject Terms:** *THEATERS *ACOUSTICAL engineering *NOISE control
*REVERBERATION time *GRAN Teatre del Liceu (Barcelona, Spain)
- **Abstract:** The original Orchestra Rehearsal Room of the Great Theater of the Liceu, inaugurated in October 1999, was sufficient to accommodate a medium sized orchestra but it was not suitable for a large orchestra because of its small volume and because the sound produced by the musicians was too loud. This initial deficiency has been corrected in many aspects by applying a new acoustic concept. We developed a 3D-Grid diffuser which resulted in a very significant increase in Reverberation Time and increased the clarity of communication between players and the subjective size of the room volume.
- Copyright of Building Acoustics is the property of Multi-Science Publishing Co Ltd and its content may not be copied or emailed to multiple sites or posted to a listserv without the copyright holder's express written permission. However, users may print, download, or email articles for individual use. This abstract may be abridged. No warranty is given about the accuracy of the copy. Users should refer to the original published version of the material for the full abstract.

Read the full article on EBSCOhost
courtesy of your library.



EBSCOhost

[Login](#)

Important User Information: Remote access to EBSCO's databases is permitted to patrons of subscribing institutions accessing from remote locations for personal, non-commercial use. However, remote access to EBSCO's databases from non-subscribing institutions is not allowed if the purpose of the use is for commercial gain through cost reduction or avoidance for a non-subscribing institution.

[Privacy Policy](#) [Terms of Use](#) [Copyright](#)

© 2013 EBSCO Industries, Inc. All rights reserved.